



NEMA FRAME	M	R		U1	U2	CPLG. SIZE	HA	HB	HD MAX		HE	HF	HG MAX	HH		HL	HP	HT MIN	BASE PLATE PART NO.
		D=8.25	D=10						D=8.25	D=10				D=8.25	D=10				
182T/184T	4.50	3.75	5.50	1-1/8	1-1/8	6SC	18	64	12.25	14	7.5	61.5	4	0	0	4.5	1.25	3.5	3528-050
213T/215T	5.25	3	4.75	1-3/8	1-1/8	6SC	18	64	12.25	14	7.5	61.5	4	0	0	4.5	1.25	3.5	3528-050
254T/256T	6.25	2	3.75	1-5/8	1-1/8	7SC	18	64	12.25	14	7.5	61.5	4	0	0	4.5	1.25	3.5	3528-050
284T/286T	7	1.25	3	1-7/8	1-1/8	8SC	18	64	12.25	14	7.5	61.5	4	0	0	4.5	1.25	3.5	3528-050
324T/326T	8	0.25	2	2-1/8	1-1/8	8SC	18	64	12.25	14	7.5	61.5	4	0	0	4.5	1.25	3.5	3528-050
364T/365T	9	0	1	2-3/8	1-1/8	8SC	18	64	13	14	7.5	61.5	4	0.75	0	4.5	1.25	3.5	3528-050

NOTES: (1) MOTOR SHOULD NOT EXTEND BEYOND BASE.
 (2) MECHANICAL COUPLING IS WOODS SURE-FLEX, TYPE SC.
 (3) ADD 0.31 INCHES TO "HD" DIMENSION IF THERMAL INSULATOR PADS ARE USED.

LIQUIFLO EQUIPMENT CO.

443 NORTH AVENUE, GARWOOD, NJ 07027

ENDURA SERIES CENTRIFUGAL PUMP

ANSI GROUP II, LONG-COUPLED, BASE ASSEMBLED